


In-line Check Valves

FEATURES OF BIO-CHEK™ CHECK VALVES

- Inert Flow Path - no metallic parts
- Choice of EPDM, FKM and FFKM check elements
- PEEK housing material
- Check against backflow pressure to 100 psi
- Small Internal Volume
- Low Cracking Pressure
- Gravity Independent Installation

SPECIFICATIONS

Cracking pressure	<1 psi
Backpressure generated	@0-30 psi <1 psi
	@30-50 psi 1-2 psi
Maximum pressure rating	50 psi
Maximum Backpressure	100 psi
Internal volume	CI 60 µl
	CO 68 µl
	CF 49 µl
Connection	1/4-28 UNF flat bottom



Bio-Chem Valve™ Bio-Chek™ in-line check valves feature an inert flow path, no metal components and zero maintenance in high-purity, low-pressure applications. Unlike spring-actuated check valves that can restrict or impede the flow path, the Bio-Chek™ in-line check valve features a smooth flow path that minimizes shear and turbulence. The Bio-Chek™ valve provides a flow rate equivalent to a 0.030" (0.76mm) orifice, a cracking pressure of 1 psi or less and check against backflow pressure to 100 psi. Available in inlet, outlet or dual-female configurations, applications include handling syringe pump systems, vacuum systems and other low-flow processes. The valves connect to standard 1/4-28 flat bottom ports and fittings.

Style	Housing material	Check element material		
		EPDM	FKM	FFKM
Inlet style (CI)	PEEK	CI-5E	CI-5V	CI-5C
Outlet style (CO)	PEEK	CO-5E	CO-5V	CO-5C
Dual-Female style (CF)	PEEK	CF-5E	CF-5V	CF-5C

Trademarks:

Bio-Chem Valve™ and Bio-Chek™ are trademarks of Bio-Chem Fluidics Inc.

Polymers referenced in this brochure:


EPDM = ethylene-propylene-diene

FKM = fluorinated elastomer


FFKM = perfluoro elastomer

PEEK = polyetheretherketone

INSTALLATION DRAWING



FLOW CHARACTERISTICS



BIO-CHEM FLUIDICS

www.biochemfluidics.com

msscscientific Chromatographie-Handel GmbH
Gneisenastrasse 66/67 · 10961 Berlin · Germany
Fon: +49 30 6270 6087 · Fax: +49 30 6270 6089
info@msscscientific.de · www.msscscientific.de

Bio-Chem Fluidics Inc
85 Fulton Street, Boonton NJ 07005 USA
t: 973 263 3001 f: 973 263 2880 e: sales.us@biochemfluidics.com

Bio-Chem Fluidics Ltd
2 College Park, Coldhams Lane, Cambridge CB1 3HD UK
t: +44 (0) 1223 416642 f: +44 (0) 1223 416787 e: sales.eu@biochemfluidics.com

-Chem Fluidics Technology (Shanghai) Co. Ltd
South Metropolis Industrial Park, Jindu Road, Minhang District, Shanghai, PRC 201108
t: +86 21 61519058 f: +86 21 61519090